



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/679,301	/679,301 10/07/2003		Yuka Yamaguchi	065905-0298	5221	
22428	7590	04/09/2004		EXAMINER		
FOLEY A	ND LAR	DNER	ROYER, WILLIAM J			
SUITE 500 3000 K STREET NW				ART UNIT PAPER NUMBI		
WASHING			2852	,		
				DATE MAILED: 04/09/2004	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

X	V

	Application No.	Applicant(s)					
	10/679,301	YAMAGUCHI, YU	YAMAGUCHI, YUKA				
Office Action Summary	Examiner	Art Unit					
	William J. Royer	2852					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet	with the correspondence ad	ldress				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on							
2a) This action is FINAL . 2b) ⊠ This	2a) This action is FINAL . 2b) This action is non-final.						
3) Since this application is in condition for allowan	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 23-25 is/are pending in the application	ı .						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6) Claim(s) <u>23-25</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9) The specification is objected to by the Examiner	•						
10)⊠ The drawing(s) filed on <u>07 October 2003</u> is/are: a) accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the o	lrawing(s) be held in abey	ance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)☐ The oath or declaration is objected to by the Exa	aminer. Note the attach	ed Office Action or form PT	гO-152.				
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage 							
·	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
	* See the attached detailed Office action for a list of the certified copies not received.						
2 2 2 2 2							
Attachment(s)							
1) Notice of References Cited (PTO-892)		Summary (PTO-413)					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 10072003. 		o(s)/Mail Date Informal Patent Application (PTC)-152)				

Page 2

Art Unit: 2852

Drawings

The drawings are objected to because of the following informalities:

In Figure 1, an arrowhead that points towards the image forming portion should be placed on the lead line extending from reference numeral 10.

In Figure 1, an arrowhead that points towards the cleaning device should be placed on the lead line extending from reference numeral 30.

In Figure 2, an arrowhead that points towards the cleaning device should be placed on the lead line extending from reference numeral 30.

In Figure 3, reference numeral "36" and a lead line with an arrowhead that points towards the cleaning device should be added to the drawing.

In Figure 4, reference numeral "46" and a corresponding lead line should be added to the drawing in order to identify the web sheet identified in the specification.

In Figure 4, an arrowhead that points towards the cleaning device should be placed on the lead line extending from reference numeral 48.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Specification

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Page 3

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 23-25 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-3 of U.S. Patent No. US 6,661,983 B2. Although the conflicting claims are not identical, they are not patentably distinct from each other because Claim 23 is identical to Claim 1 of the patent except that "runs between the surface of the developer image carrier and the first cleaning member in a state put over the first cleaning member and" has been deleted from Claim 23. It is noted that the removal of this limitation does not make Claim 23 patentably distinct from Claim 1 of the patent since both Claim 23 and Claim 1 of the patent still claim essentially the same cleaning device. Further, Claim 24 is word for word identical to Claim 2 of the patent and Claim 25 is word for word identical to Claim 3 of the patent.

Art Unit: 2852

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William J. Royer whose telephone number is (571) 272-2140. The examiner can normally be reached on Monday-Thursday and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur T. Grimley can be reached on (571) 272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William J. Royer Primary Examiner Art Unit 2852

William J. Royer

wjr April 2, 2004